

Demolition Derby Rules and Payout Information
Sauk County Fair, Baraboo, WI
Sunday, July 12 - 3:00 p.m.
One show for all heats, consolation and finals.
Registration 11:00 – 2:00 p.m.

The Demo Derby is conducted by Sauk County Ag Society, Inc. and will be run by Steve Payne and Tad Bowers. (Late Registrations will be subject to late entry penalty.)

ANY QUESTIONS ABOUT THE FAIR DEMOLITION DERBY PLEASE CALL STEVEN PAYNE AT (608) 963-9106. If no answer please leave a message.
DO NOT CONTACT FAIRGROUNDS OR FAIRBOARD MEMBERS.

All classes \$45 entry fee includes car, driver and 1 pit person.

80 & NEWER CLASS -

\$5625 PURSE BASED ON 30 CAR REGISTRATION. Purse will be prorated \$187 off the purse per car short of the 30 car minimum.

HEAT PLAQUES

MOST AGGRESSIVE TROPHY

1-2-3 PLACES FEATURE TROPHY

Payout as follows with 30 car minimum

- | | |
|----------|---------|
| 1)\$2500 | 6)\$200 |
| 2)\$1000 | 7)\$150 |
| 3)\$750 | 8)\$100 |
| 4)\$500 | 9)\$75 |
| 5)\$300 | 10)\$50 |

TRUCKS AND SUBURBANS –

\$2150 PURSE BASED ON 15 REGISTERED. Purse will be prorated \$143 off the purse per truck short of the 15 truck minimum.

MOST AGGRESSIVE TROPHY

1-2-3 PLACE TROPHY

Payout as follows with 15 truck minimum

- 1)\$750
- 2)\$500
- 3)\$400
- 4)\$300
- 5)\$200

MIDSIZE CARS

\$1500 PURSE BASED ON 10 CAR REGISTRATION. Purse will be prorated \$100 off the purse per midsize short of the 10 midsize minimum

MOST AGGRESSIVE TROPHY

1-2-3 PLACE TROPHY

Payout as follows with 10 car minimum

- 1)\$500
- 2)\$400
- 3)\$300

4)\$200

5)\$100

SAUK COUNTY FAIR Demo Rules (REEDSBURG BUTTERFEST and BARABOO LIONS CLUB also)

These are the rules for 80 & Newer Class, Trucks and Mid Size

Contestants

1. All contestants must be 18 years of age or older. Entrants 16-18 will be accepted with notarized approval of parents or guardian. No one under 16 will be allowed in the pit area.
2. Competition fee is 45.00. This includes car and driver and one pit person. This is due to insurance liability; our concern is accidents in the pit area.
3. Only one (1) car can be entered per driver and he must be the driver of said vehicle.
4. Any driver judged inebriated will be disqualified.
5. No alcoholic beverages will be allowed to be brought onto the fairgrounds.
6. The fair association will not be responsible for any vehicle or it's components left on the fairgrounds. Any vehicle on the grounds after the event will be towed at the owners cost.
7. All gas in the pits area must be in a red containers.
8. If it does not say it in the rules, don't assume you can do it **CALL FIRST**.
9. No hot rodding in the pits or you will be disqualified and that includes the haulers to.

Competition

1. Any type of collision is legal. Competitors however, are encouraged to avoid striking any opponent in the driver's door. **DRIVER'S DOOR MUST BE A BRIGHT COLOR**
 - la. Do not use your drivers door as a shield. It may cause you to get disqualified.
2. You are given 1 minute for restart, 1 minute if you are hung up and 20 seconds to make an aggressive hit.
3. Drivers playing possum or sandbagging or holding will be signaled to get under way. Failure to comply in 30 seconds will result in disqualification.
4. An indicator will be attached to each car at the start of the competition. A driver signals he is disable and out of the event by removing the indicator. Drivers must remain in the seat and have his helmet on until the end of the event.
5. Competition will start from a dead stop. Contestants may operate in any direction within the prescribed boundaries.
6. The last car capable of moving 6" in any direction under it's own power will be the winner. In the event 2 or more cars simultaneously demolish each other, the event will be declared a draw. Whoever makes the last aggressive hit will be declared the winner
7. Nobody will be allowed to cross over the orange fence that separates the track from the pit area this means pit crew and any other people that are with you. If this happens, the driver that you are with will be disqualified and will lose all money and trophy coming to you.
8. We will check every vehicle for a cooler if it has beer in it we will take it and you will get it back at the end of the event
9. You must make Aggressive HITS every 60 seconds or you will get an —X- Painted on your car. That X will stay with you the rest of the show. If we have to stop the show again because you are sandbagging, you will be disqualified for the remainder of the day's competition.
10. Decision of the officials is final. We are human we cannot make everyone happy. We can't see everything however we will do are best.

Inspection of cars:

1. All cars are to be inspected upon entrance to the grounds, and are subject to inspection at any time without notice.
2. Upon entering the grounds, all cars must have open hoods, they must have a visible hole in the trunk so the inside may be inspected, and have all door panels removed, excluding the driver's door. All back seats are to be removed as well (top and bottom) and in wagons all deck lids must be removed.
3. Cars, which do not conform to the rules stated, will have until the close of registration to correct the problems to get a stick.
4. Car's are subject to re-inspection before any prize money is handed out.
5. Any controversies will be taken up at the driver meeting.

Preparation of big cars:

1. All glass: including windshield, side windows, rear windows, head and taillights, and mirrors must be removed from the car. This glass ruling will be strictly enforced. If glass is broken and down inside the doors, it will have to be removed.
2. All interior carpet and door panels must be removed, including the entire rear seat. Door panels may be left on the driver's door for protection. Stock gas tanks and exterior trim must be removed. All trailer hitches must also be completely removed prior to entering the fairgrounds.
3. The driver's door must be painted bright color only. The drivers door may be protected and reinforced in any manner, provided the added material does not extend more than 2 inches in front or behind the door.
4. A hole must be cut on the roof and bent upwards with your number painted on it, for the announcer to read. (this must be done) You must have a roof sign if you want to run. It must be a minimum of 15x15 and must be in a bright and bold color. We will not accept cardboard roof signs anymore .
5. Seat belts and / or shoulder straps are required equipment. The seat belt must be secured properly to the frame and worn throughout the entire event.
6. A crash helmet is required and must be worn throughout the entire event.
7. Safety goggles or safety glasses are mandatory.
8. Gas tanks are limited to a capacity of 7 gallons, and must be located in the rear seat of the car. They must be secured and covered. No stock gas tanks will be permitted. Gas Tanks must be metal. No exceptions!!!!!!!. No rubber lines underneath vehicles or over firewall in between hood and firewall.
- 8a. Gas tanks protectors can not add to cage restrictions or be attached to your cage.
9. Any Make/model driver train may be used in any car body.
- 9a. No distributor protectors will be allowed.
10. Welded or chained motor mounts are recommended.
11. Radiator and cooling systems are to be placed within the engine compartment and below the hood. No auxiliary systems allowed. Radiator guards allowed providing they are no thicker than 1/4" and are connected only to the radiator and sheet metal. They may not connect to the frame or bumper.
- 11 a. Transmission coolers
 - b. Metal or steel braided line must be used. Rubber lines must be double clamped and minimal inside the car. No fuel or low pressure line may be used
 - c. Transmission condenser must be mounted in a metal box and covered
 - d. Overall safety will be determined by the officials at time of inspection
 - e. You still can use factory way to run transmission lines to radiator
- 11b. Fuel pumps
 - c. Electric fuel pumps are allowed. Must be covered and have shutoff switch near steering wheel and marked in large red letters.
 - d. All lines must have double clamps
 - e. No rubber lines underneath vehicles or over the firewall and between the hood

12. All objects attached to the outside of the vehicle must meet judge's approval.
13. There must be a visual hole 10" square in the hood and trunk. Hood must be opened for inspection upon entrance to the fairground.
14. Rear end gears may be welded to produce a posi-traction rear end.
- 14a. You must have a 5 lug rear-end (no truck rear-ends will be allowed in cars)
15. Two automotive batteries max, may be used and can be located in the passenger compartment. They must be securely fastened and covered.
16. Bumpers
 - 16a .Bumper are interchangeable. Any automotive bumper and bumper brackets may be used on any 80 and newer class car.
 - b. No homemade bumpers or brackets no extra added metal to attach bumpers
 - c. You can weld bumper brackets or tower to the frame, also you can weld the shocks to shock towers
 - d. You can collapse shocks and you can bolt the shocks to the towers with 1/2 inch bolt or less and it must be done vertically
 - e. You may trim bumper ends or fold them around
 - f. No welding on the bumpers except to weld the brackets or shocks. When welding bumpers, shock and brackets, do not add any metal. (we will make you cut it)
 - g. Bumpers may also be chained in 2 spots to make sure they do not fall off
17. No frame seams may be re-welded. **IF YOU COME IN WITH FRAME SEAMS WELDED OR PLATES ON YOUR FRAME OR YOUR FRAME STUFFED YOU WILL GO HOME NO IF AND BUTS NO CHANCE OF FIXING IT**
 - a. No welding plates.
 - b. No painting frames.
 - c. You can weld the rod in the front on the top or sides of the frames, if you weld it on the side it must be welded 3 inches from the core support. **IF MOUNTED ON TOP NO HORIZONTAL WELDING**
18. **DOOR BARS & CAGE:** (1).You may use 2 pieces of 6" channel or tubing **NO LONGER THAN 60"** for your driver & passenger door bars. (2).It cannot exceed 18" past center post on 4dr and 10" on 2drs.(3). Your dash bar must not exceed 5" OD.(4). Your rear seat pipe must not exceed 6" behind seat..
 - a. You can run one kicker on the drivers side it can not be weld to the frame it has to be welded to the body. You can weld it 5" past the post on drivers side only. It must be welded to the seat bar. The kicker can be no bigger then a 4"x2"
 - b. If you run a roll over bar it must be connected to the pipe behind the seat.
19. Doors may be secured by the following means:
 - a. Drivers door can be welded solid
 - b. Four chains, bolts, cables, or wires may be used to securing each door. Door may be welded with 2-3"x6" plate on each vertical seam or 1- 3"x12" plate on each vertical seam. Welded doors may only be chained in 2 places
 - c. If you bolt your strikers (doors) you can't weld your doors.
 - d. You can fold the tops of the doors over and weld then. You can weld in 3 spots weld no longer then 4 inches long
 - e. You are allowed 1 spot with 4 loops of wire (no cable or chain) in each window opening and may go from roof to frame
 - f. If you used 9 wire it can not go past the back seat, it must stay inside of car G. If you have a non- post car you can run a piece of flat stock from roof to top of doors for safety reasons. The piece of flat stock can be no ticker then 1/4 inch and can only go down 5" on the outside of door
20. All body mounts must be in place and no added body mounts or supports except where the threaded rods are allowed.
 - 20a. You must have a minimum 1" spacer on the frame instead of the rubber mounts
21. Body bolts may be changed 1" washer(inside diameter no homemade washers) 1/4" thick **'/2"** body bolts.
22. Hoods may be held down in a maximum of 6 places. No more than 2 threaded rods, no larger than 1"

may extend through the frame at the front body mounts/core support.

a. No chain binders are allowed

b. Threaded rod may not extend through the hood to frame in the firewall

23. Car Trunk lids may be held down by the following means:

a. Four threaded rod 1" and two chain/bolts/cables or two 1 "xl" welds. Four rods may extend through the frame.

b. No chain binders are allowed

c. Station wagons

1. No threaded rods may be used in the rear

2. Tailgates may be secured on four places. Two 3"x6" plate and two bolts/chains/cables.

3. All deck lids must be removed

4. You can run a chain or wire from frame to the rear-end.

5. For use of 9 wire look at rule 19 e, f

6. Suspension can be no higher than 27 inches from middle of the bumper to the ground

26. Tires

a. Any tire/wheel combination may be used on any vehicle

b. No split rims, fluid in tires, studs or tire chains

c. All wheel weights must be removed

27. One chain or '1/2" rod may be used on the rear frame of the vehicles. The chain or 1/21 rod may go from frame rail to frame rail. No added bolts to pinch frame in the humps

28. Bolt rule

a. No metal screws are allowed

b. No more than 25 bolts may be used on the exterior of the vehicle. These bolts may be placed above wheel wells, through hood/trunk layers, etc. sheet metal only

29. All cars must have working brakes upon arrival to the grounds

29a. All cars must have working brakes at the start of the heat and final.

30. All cars must run with a air cleaner on.

31. Must have 2 chain or straps from roof to firewall (this is a must)

MIDSIZE CARS

1. Cars must be up to 108 inch wheelbase for front wheel drive (if your car looks more than 108 inch wheelbase we will measure it if it is more than 108 you will go home no exception)

1a. If you run a rear wheel drive car it can only be 106" or less

2. Only 4 or 6 cylinder

3. Electric fuel pumps must be inside the car compartment and be in plane sight

4. You cannot put a old car bumper on midsize bumpers must be off of midsize car

5. For setting up your compact please look at big car rules

TRUCKS

1. 2 wheel drive only

2. If it is 4 wheel drive you have to take out front drive shaft

3 Bumper

3a. Must be a truck bumper

b. No car bumpers allowed on trucks

c. No pipes in bumpers

d. No adding metal to tailgate or side of truck

e. Factor leaf springs may be repaired and up to 9 and no more than four clamps on each side can be used.

6. No added plates in the back of the truck beds

7. Dash, seat and door bars are highly recommended

8. You may have a 5" pipe inside the box that goes from the drivers side to the passenger side connected to the cage no further then 8" past the back of the cab for a gas tank protector
- 8a. If it is a suburban it can only go 8" past the front seat
9. For setting up your truck please look at the big car rules.